



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/678,705	10/03/2003	Ramesh Durairaj	15990SSUS01U	9889
34645	7590	12/02/2008		
Anderson Gorecki & Manaras, LLP Attn: John C. Gorecki P.O BOX 553 CARLISLE, MA 01741			EXAMINER CHEA, PHILIP J	
			ART UNIT 2453	PAPER NUMBER
			NOTIFICATION DATE 12/02/2008	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

john@gorecki.us
jgorecki@smmalaw.com
officeadmin@smmalaw.com

Office Action Summary	Application No. 10/678,705	Applicant(s) DURAIRAJ ET AL.	
	Examiner PHILIP J. CHEA	Art Unit 2453	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 August 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2453

DETAILED ACTION

This Office Action is in response to an Amendment filed August 13, 2008. Claims 1-22 are currently pending. Any rejection not set forth below has been overcome by the current Amendment.

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 11-15, 17-19, 21-22 are rejected under 35 U.S.C. 102(e) as being anticipated by Largman et al. (US 7,137,034), herein referred to as Largman.

As per claim 11, Largman discloses an intelligent management interface for a network element, the network element including at least one network element processor controlling operation of the network element in normal operation (see column 8, lines 53-54, *where computer connected to the network is considered the network element*) as claimed, comprising:

at least one intelligent management interface processor supporting an independent operating environment for the intelligent management interface which is separate from the operating environment supported by the at least one network element processor and able to boot separate from a boot process of the at least one network element processor of the network element, the independent operating environment enabling the intelligent management interface to be active during the boot process of the at least one network element processor of the network element (see column 5, lines 39-55, *describing how an intelligent interface can be active during a boot process of computer [1] (i.e. a computer connected to the network (see column 8, lines 53-54) is considered the network element) by switching which drive the computer boots from automatically repairing the boot drive of the computer and Fig. 1, showing how the*

Art Unit: 2453

operating environment of the intelligent management interface is separate by having its own microcontroller [1A] and power supply [1B] which is separate from network element processor [10] and column 4, lines 8-13, describing how the power supply [1B] can power the controller [1A] independently implying that the boot process of the controller [1A] can be able to boot separate since it has its own power supply and is powered on (booted) independently); and

intelligence enabling the intelligent management interface to take actions on the network element to control the boot process of the at least one network element processor (see column 5, lines 56-63, *where the action taking place is a template drive repairing the boot drive of computer [1], where repairing the boot drive controls the boot process of the network element processor*).

As per claim 12, Largman further discloses that the intelligence performs diagnostic checks on the network element (see column 6, lines 39-43).

As per claim 13, Largman further discloses that the intelligence uploads files to the network element (see column 5, lines 56-63, *where the files uploaded include a new operating system, and application files being uploaded to the computer (i.e. network element)*).

As per claim 14, Largman further discloses that the intelligence causes a new software image to be stored on the intelligent management interface, and to cause the network element to be restarted from the new software image (see column 27, lines 34-37 and lines 54-60, *describing how the master template can be updated (i.e. the data store used by the intelligent management interface for repairs) where the master template provides the data store template [14] with the copy that is used to repair data store [12] during a reboot of the network element* see column 5, lines 45-63).

As per claim 15, Largman further discloses that the intelligence controls the network element before, during, and after a network element boot process (see column 5, lines 45-56).

As per claim 17, Largman further discloses that the intelligence implements a Universal Serial Bus (USB) stack to enable the intelligent management interface to communication over an exterior interface utilizing at least one of the USB standards (see column 19, lines 6-10).

As per claim 18, Largman further discloses a method of managing a network element, as claimed, comprising:

Art Unit: 2453

assessing a USB port on a network element (see column 19, lines 6-10, *describing a computing device (i.e. a computer connected to the network (see column 8, lines 53-54) is considered the network element) managed by an externally located device coupled through USB*); and

transferring management information over the USB port (see column 19, lines 6-10, *where managing a repair process on the computing device implies transferring management information such as initiating the repair process on the computer device*).

As per claim 19, Largman further discloses that the management information comprises a software image to be loaded onto the network element (see column 5, lines 56-63).

As per claim 21, Largman further discloses that the new software image is downloaded from a centralized location accessible to multiple network elements (see column 16, lines 24-28), and wherein the new software image upgrades the existing software with new software containing new features (see column 27, lines 54-60, *describing how a master template maybe updated (i.e. new software with new features)* and column 27, lines 49-53, *where the master template is used to restore the user data storage device, but if the master template was updated then the restoration would also include the new updated software*).

As per claim 22, Largman further discloses that the new software image is downloaded from a centralized location accessible to multiple network elements (see column 16, lines 24-28), and where the new software image is configured to upgrade the existing software with a corrected version of the existing software (see column 5, lines 56-63).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Art Unit: 2453

4. Claims 1-2,4-10,16,20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Largman et al. (US 7,137,034), herein referred to as Largman, and further in view of Agnihotri et al. (US 7,137,034), herein referred to as Agnihotri.

As per claim 1, Largman discloses a network element, as claimed, comprising:

a first processor supporting a first processing environment (see Fig. 1, shows [CPU 10], supporting a processing environment including volatile memory [11] and peripheral controller [17] and boot data store [12] and column 4, lines 39-44 describing the first processing environment computer [1]);

an intelligent interface between the first processing environment and a management device external to the network element (see column 19, lines 6-10, where a repair process may be initiated or managed by an externally located device, and the repair process is performed by the intelligent interface discussed below implying that the intelligent interface is between the management device and computer [1] (i.e. first processing environment)), said intelligent interface comprising a second processor supporting a second processing environment independent of the first processing environment (see Fig. 1, showing how switches [19] and [13] provide an interface that has a microcontroller [1A] (i.e. second processor) supporting the environment of 1Z and template data store [14] and see column 4, lines 48-52, describing how the data store [12] may be made accessible to computer [1] and data store [14] inaccessible to computer [1] implying two separate independent environments), the second processor being able to boot independent of a boot process of the first processing environment (see column 4, lines 8-13, showing that the power supply of the microcontroller [1A] is independent of the power supply of the computer [1] implying that the microcontroller (second processing environment) is powered on (booted) independent of the computer [1] (first processing environment));

an internal interface enabling the first processing environment to be accessed from the second processing environment (see column 5, lines 39-55, describing how an internal interface allows the second processing environment including the template data store [14] to copy software to the first processing environment including boot data store [12] by switching to repair mode and having the computer [1] boot from the template boot drive).

Art Unit: 2453

Although the system disclosed by Largman shows substantial features of the claimed invention (discussed above), it fails to disclose enabling the second processing environment to be accessed from the management device external to the network element.

Nonetheless, these features are well known in the art and would have been an obvious modification of the system disclosed by Largman, as evidenced by Agnihotri.

In an analogous art, Agnihotri discloses integrating device management applications into a host system of a network for centralized remote device management of remote network devices on network and a discovery interface for identifying remote network devices on a network (see Abstract). Agnihotri further discloses a management device external to a network element (see Fig. 1, *showing a management device [12] external to a network element [16]*) that provides an processing environment to be accessed from the management device external to the network element (see column 1, lines 45-51 and lines 59-63). *Given that the intelligent interface provides the switching between data store [12] and [14] to copy software to the first processing environment as discussed above, it would be obvious that the intelligent interface would be between the first processing environment and the management device in order to allow the management device to command the second processing environment of the intelligent interface by activating the switches to perform the copying and booting.*

Given the teaching of Agnihotri, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Largman by employing an external management device, such as disclosed by Agnihotri, in order to perform a remote function such as rebooting remote PCs on the network or monitor PC health (see Agnihotri column 1, lines 60-63).

As per claim 2, Largman further discloses that the intelligent interface further comprises a memory (see column 4, lines 23-34, *where a microcontroller inherently comprises memory registers*).

As per claim 4, Largman further discloses that the second processor comprises control logic enables a new software image to be loaded onto the intelligent interface, said new software image to be used to configure the first processing environment (see column 27, lines 34-37 and lines 54-60, *where the master template provides the data store template [14] with the copy that is used to repair data store [12]*).

Art Unit: 2453

As per claim 5, Largman further discloses that the intelligent interface comprises a memory, and wherein the new software image is stored in said memory (see column 27, lines 54-60, *where updating the master template inherently includes memory to store the master template*).

As per claim 6, Agnihotri further discloses that the second processor comprises control logic enables information related to an operational condition of the first processor to be collected over the internal interface and transmitted over the external interface (see column 1, lines 60-64).

As per claim 7, Agnihotri further discloses that the operational condition comprises at least one of Management Information Base values, logging information, and operational parameters (see column 1, lines 60-64).

As per claim 8, Largman further discloses that the second processor comprises control logic enabling diagnostic checks to be run on the first processing environment (see column 6, lines 39-43).

As per claim 9, Largman further discloses that the second processor comprises control logic enabling modifications to be made to the first processing environment over the internal interface (see column 6, lines 39-43).

As per claim 10, Largman further discloses that the external interface operates utilizing at least one of the Universal Serial Bus (USB) standards (see column 19, lines 6-10).

As per claim 16, Agnihotri further discloses enabling at least one of files and MIB information to be transmitted from the intelligent management interface to enable a network manager to manage the network element during at least one of a network element boot process and in a network element run-time environment (see column 15, lines 53-63, *describing setting traps to monitor a network devices run-time environment*).

As per claim 20, Agnihotri further discloses that the management information comprises Management Information Base (MIB) values indicative of at least one of performance by the network element and a state of operation of the network element (see column 15, lines 53-63).

Art Unit: 2453

5. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Largman in view of Agnihotri as applied to claim 1 above, and further in view of Mumolo et al. ("A Hard Real-Time Kernel for Motorola Microcontrollers").

Although the system disclosed by Largman shows that the first processing environment comprises a first kernel (see column 3, lines 43-57, *where an OS implies a kernel*), and the second processing environment includes a microcontroller (see Fig. 1 [1A]), it fails to disclose that the second processing environment comprises a second kernel.

Nonetheless, these features are well known in the art and would have been an obvious modification of the system disclosed by Largman in view of Agnihotri, as evidenced by Mumolo.

In an analogous art, Mumolo discloses a real-time kernel for running embedded applications on a microcontroller and managing real-time tasks as well as non real-time tasks (see Abstract).

Given the teaching of Mumolo, a person having ordinary skill in the art would have readily recognized the desirability and advantages of modifying Largman in view of Agnihotri by employing a kernel for the second processing environment, such as disclosed by Mumolo, in order to run the applications involved with copying data from template data store [14] to data store [12] of the system described by Largman.

Response to Arguments

6. Applicant's arguments filed August 13, 2008 have been fully considered but they are not persuasive.

A) Applicant contends that Largman does not disclose a "network element".

In considering A), the Examiner respectfully disagrees. Given the Applicants description of what a network element can be, "other network devices, interconnected and configured to handle data as it passes through the network" is considered the computer [1] of Largman that is connected to the network, since a computer is a network device interconnected and configured to handle data as it passed through the network i.e. a computer with a network card connected to the network (see Largman column 8, lines 53-54). The network card of the computer handles

Art Unit: 2453

data as it passes through the network because the network card will received data as it passes through the network i.e. from a server through the network to the computer.

B) Applicant contends that Largman does not disclose that the second processor is able to boot independent of the first processing environment.

In considering B), the Examiner respectfully disagrees. Largman discloses that a separate power supply gives power to microcontroller [1A] (second processor) independently of the power supply of computer [1] (first processor) (see column 4, lines 8-13). If the power of the first processor is on, it does not mean that the power supply of the second processor is on because they are independent of one another. Therefore, the second processor can be powered on (booted) separate from the first processor.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to PHILIP J. CHEA whose telephone number is (571)272-3951. The examiner can normally be reached on M-F 6:30-4:00 (1st Friday Off).

Art Unit: 2453

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on 571-272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Philip J Chea
Examiner
Art Unit 2453

/Philip J Chea/
Examiner, Art Unit 2453
11/24/08

/ARIO ETIENNE/
Supervisory Patent Examiner, Art Unit 2457